OEM PRODUCT BROCHURE


OEM CAST IRON & SHEET METAL





OEM MOTORS FOR ATTA

CHAKKI



OEM VACUUM PUMP FOR MILKING

MACHINE



OEM WATER PUMPS



OEM MOTOR & PUMP WINDINGS





SHREE MOTORS

POWER TO MOTION AC MOTORS, PUMPS & WINDINGS

YOUR PERFECT OEM PARTNER

© SHREERAM COATINGS

ABOUT US

SHREE MOTORS is a professionally run manufacturing company specializing in Motors, Pumps and allied products. Over the last 30 years we have associated ourselves with esteemed customers from all across Bharat. We strive for the highest customer satisfaction with superior technology, highly skilled workers and 100% order fulfilment. We want to partner with companies that value relationship and growth.

| SHREE MOTORS INCEPTION | 1995 | MANPOWER STRENGTH 50+ |
|---|------|---|
| YEARS OF MANUFACTURING EXPERIENCE | 29+ | MANUFACTURING CAPACITY OF MOTORS PER YEAR 50,000+ |
| ACTIVE CUSTOMERS | 50+ | OEM PRODUCTS TO CHOOSE FROM 50+ |



- An ISO 9001: 2015
 Certified Company
- Testing Standards for Motors as follow -
- IS: 12615: 2018 THREE PHASE • IS: 996: 2009
 - SINGLE PHASE



- LOCATION:
 AHMEDNAGAR, 220
 KM FROM MUMBAI,
 INDIA
- NEAREST SEA PORT: JNPT(NHAVA SHEVA), MUMBAI
- NEAREST CARGO AIRPORT: MUMBAI



SHREE MOTORS OEM INDUCTION MOTORS

RANGE: 0.5 HP TO 5.0 HP

FG200 CAST IRON / CRC SHEET METAL BODY

INBUILT THERMAL OVERLOAD PROTECTOR

ADC/ CAST IRON END SHIELDS


SPEED: 1000, 1500 & 3000 RPM

ENCLOSURE: DP/ DPFC/ TEFC

FRAME: B56, 100S & 71 TO 112L

DUTY: S1 & FREQUENCY: 50 HZ

MOUNTING: B3 (FOOT), B5 (FLANGE)



SINGLE PHASE SHEET METAL & CAST IRON BODY **AC INDUCTION OEM MOTORS, 230 V**

RANGE: 1 HP TO 3 HP

FG200 CAST IRON BODY AND E/S

SPEED: 1500 RPM

FOR TANK SIZE: 350 TO 1000 LTR

ENCLOSURE: TEFC

FRAME: 100 TO 112 L

DUTY: S1



RANGE: 0.25 HP TO 10 HP

FG200 CAST IRON BODY

SPEED: 1000, 1500 & 3000 RPM

 MOUNTING: B3 (FOOT), B5 (FLANGE), B14 (FACE)

ENCLOSURE: TEFC

FRAME: 63 TO 132M

DUTY: S1



OEM ELECTRIC MOTORS FOR AIR COMPRESSORS, 230 V

OEM THREE PHASE CAST IRON AC INDUCTION MOTOR, 415 V

RANGE: 1 HP TO 3 HP

FG 200 CAST IRON BODY AND E/S

SPEED: 3000 RPM

99.99% PURITY 'F' CLASS ENAMELED

COPPER

ENCLOSURE: TEFC


FRAME: 100 TO 112 M

DUTY: S1

FREQUENCY: 50 HZ

WIDE SINGLE PHASE 180 TO 240 V RANGE

FOR DOUBLE DRUM ATTA CHAKKI



OEM ELECTRIC MOTORS FOR ATTA CHAKKI MACHINE WITH SPECIAL HOUSING

OEM WATER PUMPS

RANGE: 0.5 HP TO 1.0 HP

DELIVERY PIPE SIZE: 25 X 25 MM

DISCHARGE: 70 - 07 LPM

• HEAD: 12 - 50 METER

• SPEED: 3000 RPM

FITTED WITH THERMAL

OVERLOAD PROTECTOR

EQUIPPED WITH FORGED

BRASS IMPELLER

WIDE VOLTAGE: 180 TO 240 V



SELF PRIMING OEM WATER PUMP MINI SERIES RIGHT ANGLE FLOW AND V TYPE FLOW, 230 V

- RANGE: 0.5 HP TO 1.0 HP
- DELIVERY PIPE SIZE: 25 X 25 MM
- WIDE VOTLAGE: 180 TO 240 V
- FITTED WITH THERMAL OVERLOAD PROTECTOR, SPEED: 1500 RPM
- EQUIPPED WITH STAINLESS STEEL IMPELLER



HEAVY DUTY CAST IRON
CENTRIFUGAL WATER PUMPS

- RANGE : 0.5 HP TO 1.0 HP
- DELIVERY PIPE SIZE: 25 X 25 MM
- FITTED WITH THERMAL OVERLOAD PROTECTOR, SPEED: 3000 RPM
- EQUIPPED WITH NORYL/ STAINLESS STEEL IMPELLERS



OEM SHALLOW WELL JET WATER PUMP SERIES

RANGE: 1.0 HP

DELIVERY PIPE SIZE: 25 X 25 MM

DISCHARGE: 46 - 10 LPM

• HEAD: 18 - 45 METER

SPEED: 1500 RPM

FITTED WITH THERMAL OVERLOAD

PROTECTOR, SS410 SHAFT

EQUIPPED WITH STAINLESS STEEL IMEPLLER

• BODY: SHEET METAL / ALUMINIUM DIE CAST



OEM SELF PRIMING HEAVY DUTY
SHEET METAL & ADC BODY WATER PUMPS

SHREE MOTORS SPECIAL OEM PRODUCTS

- **RANGE: 1.0 HP TO 5.0 HP**
- **DELIVERY PIPE SIZE: 25 X 25 MM** TO 65 X 65 MM
- AVAILABLE IN ALUMINIUM ROTOR
- EQUIPPED WITH CAST IRON **IMPELLER, SINGLE & THREE PHASE**
- THRUST BEARINGS FOR **HIGH AXIAL THURST LOAD**
- AVAILABLE IN STAINLESS STEEL AND CAST IRON BODY



HORIZONTAL OPENWELL STAINLESS STEEL SINGLE PHASE & CAST IRON HEAVY DUTY THREE PHASE PUMPS

- RANGE: 0.5 HP, DUTY: S1
- FOR SINGLE BUCKET MILKING MACHINE
- SPECIAL STAINLESS STEEL IMPELLER
- WIDE VOLTAGE: 180 TO 240 V
- VACUUM SPEED: 350 LPM



OEM VACUUM PUMP FOR MILKING MACHINE

- RANGE: 0.5 HP
- **SPEED: 3000 RPM**
- WIDE VOLTAGE: 180 TO 240 V
- **HEAVY DUTY CAST IRON BODY**
- **CAST IRON IMPELLER**
- **PIPE SIZE: 25 X 25 MM &** 25 X 40 MM



SINGLE PHASE OEM MONOBLOCK WATER PUMP

 EXHAUST / COOLING FAN FITTED WITH DOUBLE SHAFT **INDUCTION MOTOR**


- SPEED: 1500 RPM, DUTY: S1
- 200 WATT SINGLE PHASE MOTOR
- BLOWER FITTED WITH TWO **ALUMINIUM IMPELLERS WITH FORWARD CURVE BLADES**
- SPECIALLY MADE FOR COOLING **APPLICATION OF 5KVA GENSET**



AIR BLOWER FOR 5KVA GENSET PANEL COOLING APPLICATION

SHREE MOTORS ALLIED OEM PRODUCTS

- **RANGE: 0.12 HP TO 50 HP**
- COPPER COIL WINDINGS: 'F' CLASS & 'DUAL COAT' INSULATION AVAIABLE
- SINGLE PHASE AND THREE PHASE
- DOUBLE SPEED WINDINGS
- IN HOUSE VARNISHING AND BAKING
- FRAME: 63 TO 200, B56, 100S
- COMPLETE WINDING TESTING AND PACKING AS PER CUSTOMER TC



EXPORT QUALITY IEC RANGE WINDINGS & VARNISHING

- **RANGE: 0.5 HP & 1.0 HP**
- SHEET METAL BODY AND ADC E/S
- SPEED: 1500 RPM
- FITTED WITH THERMAL
- OVERLOAD PROTECTOR
- **ENCLOSURE: DPFC**

• FRAME: B 56



- **RANGE: 0.18 KW/ 0.25 HP**
- SHEET METAL BODY ADC E/S
- SPEED: 1500 RPM
- **ENCLOSURE: DPFC**
- FRAME: B 56
- **FREQUENCY: 50 HZ**
- DUTY: S1
- WIDE VOLTAGE:

180 TO 240 V



OEM ELECTRIC MOTOR FOR MILKING MACHINE

OEM ELECTRIC MOTOR FOR PP STRAPPING MACHINE

- **RANGE: 1.0 HP TO 3.0 HP**
- PREMIUM ALUMINIUM DIE CASTED BODY
- SPEED: 1000, 1500 & 3000 RPM
- FITTED WITH THERMAL
- OVERLOAD PROTECTOR/THEROMSTATS
- FOR ALL THREE PHASES
- THREE PHASE MOTOR, 415 V
- ENCLOSURE: TESC
- FRAME: 80 & 90
- DUTY: S2
- CLASS 'F' INSULATION
- **POWDER COATED FINISHING**



HIGH TORQUE OEM AC MOTORS FOR ELECTRIC ACTUATORS

MACHINERY & TESTING



PRECISION COPPER COIL SPOOL TESTING: OUR IN-HOUSE LAB ADVANTAGE



STATE-OF-THE-ART INDUCTION MOTOR TESTING: OUR IN-HOUSE LAB CAPABILITY



IN-HOUSE WATER PUMP TESTING LAB & SILENCE ROOM FACILITIES



EFFICIENT & ACCURATE: OUR AUTOMATIC MOTOR & PUMP WINDING TESTING MACHINE



ADVANCED CNC LATHE FOR IN-HOUSE MACHINING PRECISION



EXPERT GROWLER TESTING
FOR HIGH-QUALITY ALUMINUM
DIE-CAST ROTORS

OEM FOR MOTORS & PUMPS

OUR ESTEEMED CUSTOMERS

Crompton













Tough Submersible Pumps





WE PROVIDE TURNKEY SOLUTIONS FOR YOUR ELECTRICAL REVOLVING MACHINE NEEDS

New Product Development:

- In-house design team
- complete carton box design
- reverse engineering
- Equipped for partial & full assembly
- Dedicated customer zone

Testing Facilities:

- Routine testing for single-phase motors with dynamometers
- Balancing grade ISO 1940 G2.5 with computerized machinery
- Component-level mechanical and chemical testing

Manufacturing Enhancements:

- State-of-the-art Vacuum
 Pressure Impregnation System
- Compatible with 'H' & 'F' class
 Resin & Varnish
- Flood Impregnation and Oven Baking Facility

Export & Logistics:

- IEC certificate compliance
- Sea freight and air freight CHA agent partnerships
- Export packing and fumigation services
- Dedicated team for export documentation

Supplier and Vendor Network:

- local machining and powder coating vendor network
- Suppliers for investment casting and CI casting
- Partnerships with pattern and tool makers

After Sales & Service:

- Comprehensive warranty and guarantee terms
- Contract manufacturing readiness
- In-house repair team
- Spare parts available
- Post-warranty support

CONTACT US



Sagar Dahale Ishan Kulkarni Sales Manager Director (+91) 8799958480 (+91) 8308002002



sagar.dahale@shreerammotors.co.in ishan.kulkarni@shreerammotors.co.in



www.shreerammotors.co.in



Works Unit & Office: Plot No. L-179 & L-186 MIDC Area, Ahmednagar, Maharashtra, India - 414111